Translation Branch The world of foreign prior art to you.

Request Form for Translation

U. S. Serial N	o.: <u>D</u>	278, 221				
Date of Reque Date Needed (Please do not writ	702 70. tion: C rg.:			003-34 slations Branch Phone: Fax: Location:	-	
SPE Signature Required for RUSH:					s in providing the	
Document Identification (Select One): **(Note: Please attach a complete, legible copy of the document to be translated to this form)**				To assist us in providing the most cost effective service, please answer these questions:		
1	Patent	Document No. Language Country Code Publication Date	8-218217 3P 3P 8/27/76	Will you accept an English Language Equivalent?(Yes/No)		
	No, of Pages		HC i	Will you a	ccept an English	
2	Article	Author		abstract?	_(Yes/No)	
	17	Country		Would you	ı like a consultation	
3	Other	Type of Document Country Language	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	with a translator to review the document prior to having a complete written translation? (Yes/No)		
	elivery (Select rv to Exmr. O	Preference):	STIC Only)	Check her	e if Machine	
Delive	ry to Exim. O	mice/Manbox Date:	is it comy	Translatio	n is not acceptable:	
Call fo	or Pick-up	Date:	E. Marx 5-1765		for Japanese Patents, '93 and g. 5 day turnaround after	
STIC USE	ONLY		5166	.>		
Copy/Search		/	Translation			
Processor:			Date logged in:	<u>.9</u>		
Date assigned: 5 5			PTO estimated word	s:		
Date filled:			Number of pages:			
Equivalent fo	ound:	(Yes/No)	In-House Translation Available:			
			<u>In-House:</u>		ractor:	
Doc. No.:			Translator:	Name: 1, 4		
Country:			Assigned:	Prior	· 11 1 7	
n '			Returned:	Sent:		
Remarks:				Ketu	rned: 2/40/00)	

DERWENT-ACC-NO: 1996-439941

DERWENT-WEEK:

199644

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Yarn cooling device useful for

optimum cooling air

blowout pattern - comprises spinning

mouthpiece, external

and internal cooling air blowout

cylinder, and flow

straightening members in series on

central line

PATENT-ASSIGNEE: TEIJIN LTD[TEIJ]

PRIORITY-DATA: 1995JP-0023935 (February 13, 1995)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE PAGES

MAIN-IPC

JP 08218217 A

August 27, 1996

N/A

004 D01D 005/092

APPLICATION-DATA:

PUB-NO

APPL-DESCRIPTOR

APPL-NO

APPL-DATE

JP 08218217A

N/A

1995JP-0023935

February 13, 1995

INT-CL (IPC): D01D005/092, D02J013/00

ABSTRACTED-PUB-NO: JP 08218217A

BASIC-ABSTRACT:

The device comprises:

- (a) a spinning mouthpiece (3);
- (b) an internal cooling air blowout cylinder (6); and
- (c) an external cooling air blowout cylinder (5).

Flow straightening members (10a-10c) to straighten the flow of cooling air introduced from the lower end of a hollow part (H) are in series along about a central line (C) of the hollow part (H) of the internal cooling air blowout cylinder (6).

USE - Used as a yarn cooling device.

ADVANTAGE - According to variation of a spinning condition, a blowout pattern of cooling air is simply optimised.

CHOSEN-DRAWING: Dwg.1/3

TITLE-TERMS: YARN COOLING DEVICE USEFUL OPTIMUM COOLING AIR BLOWOUT PATTERN

COMPRISE SPIN MOUTHPIECE EXTERNAL INTERNAL

COOLING AIR BLOWOUT

CYLINDER FLOW STRAIGHTENING MEMBER SERIES

CENTRAL LINE

• .. .

DERWENT-CLASS: F01

CPI-CODES: F01-C; F01-C01;

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1996-138592